



ONGC-MANGALORE PETROCHEMICALS LTD.

Mangalore Special Economic Zone, Permude, Mangalore

Expression of Interest

Sub: Sale of Toluene

About OMPL

ONGC Mangalore Petrochemicals Limited (OMPL), a green field Petrochemicals project, incorporated on 19th December 2006, is promoted by Oil and Natural Gas Corporation Ltd (ONGC), India's Most Valuable Public Sector Enterprise and Mangalore Refinery and Petrochemicals Limited (MRPL), a subsidiary of ONGC.

OMPL Aromatic Complex is situated in 442 Acres of land in Mangalore Special Economic Zone (MSEZ) and is fully integrated with MRPL. At 100% operational load, the complex can produce 914 KTPA Paraxylene and 283 KTPA Benzene.

OMPL has the facility and infrastructure to produce and supply Toluene through road tankers.

Toluene supplies:

OMPL is keen to supply Toluene to potential domestic actual end-users through Spot/Term contracts on Ex-works basis. Buyer has to arrange for transportation and payment of necessary duties/Taxes as OMPL is located in Mangalore Special Economic Zone.

Important Dates

Expression of interest should reach OMPL on or before 03rd Sep 2021.

The interested parties to [click the link](#) for filling the necessary details.

Toluene product specification

Property	Method	Min / Max	Typical
Appearance	Visual	Clear & Free from suspended matter	Clear & Free from suspended matter
Density @ 15°C g/mL	ASTM D4052	0.865 to 0.875	0.8714
Colour	ASTM D156	Reported	+25
Distillation , IBP °C	ASTM D850	Reported	109.0
Distillation , DP°C	ASTM D850	Reported	116.7
Toluene, wt%	UOP744	Min 97.5	99.21
Benzene, wtppm	UOP744	Reported	200ppm
Acid wash color	ASTMD848	Reported	<1
Acidity	ASTMD847	Reported	No free Acid
Copper strip corrosion	ASTMD849	Reported	1a
Total sulphur, wtppm	ASTMD5453	Reported	<1

Toluene product specification

Property	Method	Min / Max	Typical
Appearance	Visual	Clear & Free from suspended matter	Clear & Free from suspended matter
Density @ 15°C g/mL	ASTM D4052	0.865 to 0.875	0.8714
Colour	ASTM D156	Reported	+25
Distillation , IBP °C	ASTM D850	Reported	109.0
Distillation , DP°C	ASTM D850	Reported	116.7
Toluene, wt%	UOP744	Min 99.0	99.21
Benzene, wtppm	UOP744	Reported	200ppm
Acid wash color	ASTMD848	Reported	<1
Acidity	ASTMD847	Reported	No free Acid
Copper strip corrosion	ASTMD849	Reported	1a
Total sulphur, wtppm	ASTMD5453	Reported	<1